M-CVM-AB-LonWorks

M-CVM-AB-LonWorks, Expansion module

Code: M56E08. CONSULTAR DISPONIBILIDAD

> Protocol: LonTalk (ISO/IEC 14908, ANSI/EIA 7091)
> Memory: No
> Communications: LonWorks

Description

Expansion module with LonWorks communications.

Application

Enables communication with SCADA systems, or similar, through the LonWorks protocol.

Creation date: 14/03/2026 - CIRCUTOR, SAU reserves the right to make technical changes or modify the content/images of this document without prior notice, in order to improve its reliability, functionality, design or for other reasons.
It accepts no liability for any errors, inaccuracies or possible lack of information in this document.

Page 1 of 3

M-CVM-AB-LonWorks

Expansion modules M-CVM-AB-LonWorks

Code: M56E08.

Specifications

DC power supply

Consumption	1.2W

Mechanical characteristics

Size (mm) width x height x depth	90 x 90 x 90 (mm)
Envelope	Self-extinguishing V0 plastic
Fastening	Panel
Weight (kg)	0,095

Environmental characteristics

Protection class	IP 30
Relative humidity (without condensation)	5 ... 95%
Storage temperature	-20... +80 ºC
Operating temperature	-10...+50 ºC

Standards

Certifications	UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05
Electrical safety, Maximum height (m)	2000
Standards	IEC 61010-1 (1rd. Edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-1, IEC 61010-2-030 (First Edition).

Serial communication

Protocol	Slave M-Bus compatible con EN13757-2 y EN13757-3
Technology / Type	LonWorks

M-CVM-AB-LonWorks
Expansion modules

| CODE	TYPE	Communications	Protocol
M56E08.	M-CVM-AB-LonWorks	LonWorks	LonTalk (ISO/IEC 14908, ANSI/EIA 7091)

M-CVM-AB-LonWorks

Expansion modules M-CVM-AB-LonWorks

Code: M56E08.

Dimensions

Connections

Red LonWorks