





## Digital Link SIM VPN EU - Multi 25

---

Electrical monitoring and auditing software

Code: W10314.

### Application

---

**Scout** offers a variety of specialized modules, each focused on a key aspect of facility monitoring.

#### Digital Link

Digitize your infrastructure without complications.

Avoid travel by accessing your devices remotely. Monitor key metrics and analyse data in the cloud with no technical complications. Integrate with your tools using our API as needed.

- View, configure and update your devices remotely.
- Dynamic dashboards for monitoring.
- Detailed analyses with comparative charts, and real-time communications with your team.
- Open API to integrate your data with your workflows.

#### Ideal for

- Industry: Remote monitoring and maintenance with no technical complications.
- Buildings and infrastructure. Centralized data for better management without the need for additional infrastructure.
- Installers and integrators. Simple and scalable solution for your customers without worrying about protocols, architectures or firewalls.

#### Compatible devices

- QNA-600-D
- QNA-D500
- CVM-D50-xx
- CVM-D4xx
- Computer C Wi-Fi
- Computer SMART III + SmartLink-VAR gateway
- R-SABT
- Via Line-EDS-cloud, compatible with any Circutor device with an RS-485 or Ethernet connection and Modbus protocol.



# Digital Link SIM VPN EU - Multi 25

Electrical monitoring and auditing software

Code: W10314.

## Specifications

Digital Link Scout  
Cloud-Scout software

| CODE    | TYPE                               |
|---------|------------------------------------|
| W10310. | Digital Link                       |
| W10311. | Digital Link SIM VPN EU - Single   |
| W10312. | Digital Link SIM VPN WW - Single   |
| W10313. | Digital Link SIM VPN EU - Multi 5  |
| W10314. | Digital Link SIM VPN EU - Multi 25 |
| W10315. | Digital Link SIM VPN WW - Multi 5  |
| W10316. | Digital Link SIM VPN WW - Multi 25 |

The prices of the modules are for an annual subscription per connected device. Devices compatible with the modules: QNA 600, CVM-A1600, CVM-B50, CVM-D50, CVM-D4XX, R-SABT, computer C Wi-Fi, Computer SMART III + SmartLink-VAR. Additionally, via Line-EDS-cloud, any Circutor device with RS-485 or Ethernet and Modbus protocol.